



COMMONWEALTH OF MASSACHUSETTS
EXECUTIVE OFFICE OF ENERGY & ENVIRONMENTAL AFFAIRS
DEPARTMENT OF ENVIRONMENTAL PROTECTION
WESTERN REGIONAL OFFICE

436 Dwight Street • Springfield, Massachusetts 01103 • (413) 784-1100

DEVAL L. PATRICK
Governor

TIMOTHY P. MURRAY
Lieutenant Governor

IAN A. BOWLES
Secretary

LAURIE BURT
Commissioner

July 15, 2008

Gary Pierce, Environmental Manager
Covanta Springfield, LLC
79 North Pearl Street
Albany, NY 12207

Re: Agawam
Western Region
**BWP IW38: PERMIT FOR
INDUSTRIAL
USER IN IPP POTW
DISCHARGING MORE
THAN 50,000 GPD**
M.G.L. Ch 21, Section 43
314 CMR 7.00 and 2.02
Transmittal No. W217369
FINAL PERMIT

Dear Mr. Pierce:

Enclosed is your Permit for Industrial Sewer User BWP IW38 issued pursuant to the Massachusetts Clean Water Act (the "State Act"), M.G.L., Ch. 21, Section 26-53, as amended, and the promulgated regulations 314 CMR 7.00, 314 CMR 2.00, and 310 CMR 4.00 thereunder.

This permit is an action of the Department of Environmental Protection and is effective July 15, 2008.

Please carefully review the enclosed permit, including all the terms and conditions stated under. If you are aggrieved by this action, you may request an adjudicatory hearing. A request for a hearing must be made in writing and postmarked within thirty (30) days of the date this permit was issued.

Under 310 CMR 1.01(6)(b), the request for a hearing must state clearly and concisely the facts that are the grounds for the request, and the relief sought. Additionally, the request must state why the permit is not consistent with applicable laws and regulations.

The hearing request, along with a valid check payable to the Commonwealth of Massachusetts,



Bondis Island
Final Sewer Discharge Permit
Transmittal # W217369

-2-

in the amount of \$100.00, must be mailed to:

Commonwealth of Massachusetts
Department of Environmental Protection
P.O. Box 4062
Boston, MA 02211

The request for a hearing will be dismissed if the filing fee is not paid, unless the appellant is exempt or granted a waiver as described below.

The Department may waive the adjudicatory hearing-filing fee for a person who shows that paying the fee will create an undue financial hardship. A person seeking a waiver must file, together with the hearing request as provided above, an affidavit setting forth the facts believed to support the claim of undue financial hardship.

Please include the transmittal number listed above on any further correspondence regarding your application.

Should you have any questions concerning this matter, please do not hesitate to contact Timothy McElroy at 413-755-2271.

Sincerely,

This final document copy is being provided to you electronically by the Department of Environmental Protection. A signed copy of this document is on file at the DEP office listed on the letterhead.

Timothy McElroy
Environmental Engineer
Bureau of Waste Prevention

This final document copy is being provided to you electronically by the Department of Environmental Protection. A signed copy of this document is on file at the DEP office listed on the letterhead.

Saadi Motamedi
Section Chief, Compliance & Enforcement
Bureau of Waste Prevention

Cc: Pretreatment Coordinator, Springfield POTW

Enclosures:

BWP IW38 Permit for Industrial Sewer User
Attachment A

